




Munia MUN-150LN-40W-GP Specifications

Light Source	LED SMD2835	Supply (Voltage)	220-240V AC~50/60Hz
Colours	White	Temperature Rating	-20°C +25°C
Wattage	40W	Construction	Gypsum & Metal
Dimmable	No	IP Rating	IP20
Kelvins	3000K - 4000K - 6000K	Electrical Protection	Class II
Lumens	3248lm - 3583lm - 3399lm	Compliance	AS/NZS 60598.1, AS/NZS 60598.2.1, AS/NZS CISPR 15
CRI	CRI≥85	Recommended Use Warranty	Domestic / Commercial 3 Year Replacement
LED Hour Rating	5000h L80	NZ/AU Driver Driver Type	LF-GIF040YFII1000H Constant C, Isolated
		Net Weight Gross Weight	8.2KG 10.5KG


All fixtures must be installed by a licensed electrician. Please also consult a licensed electrician for any electrical and wiring enquiries. For technical support please contact: customerservice@calibo.com.au

Also available in other configurations



[VIEW RANGE PAGE](#)





Munia MUN-1PN-E27-GP Specifications

Light Source	1 x E27 Bulbs not included	Construction	Gypsum & Metal
Colours	White	IP Rating	IP20
Wattage	27W	Electrical Protection	Class I
Dimmable	Compatible with dimmable globes	Compliance	AS/NZS 60598.1, AS/NZS 60598.2.1
Supply (Voltage)	220-240V AC~50/60Hz	Recommended Use Warranty	Domestic / Commercial 3 Year Replacement
Temperature Rating	-20°C +25°C	NZ/AU Driver Driver Type	Constant C, Isolated
		Net Weight Gross Weight	6KG 7.2KG


All fixtures must be installed by a licensed electrician. Please also consult a licensed electrician for any electrical, dimming and wiring enquiries. For technical support please contact: customerservice@calibo.com.au

Also available in other configurations



[VIEW RANGE PAGE](#)





Munia MUN-22WL-2GU10-GP Specifications

Light Source	2 x GU10 Bulbs not included	Construction	Gypsum & Metal
Colours	White	IP Rating	IP20
Wattage	2*10W	Electrical Protection	Class I
Dimmable	Compatible with dimmable globes	Compliance	AS/NZS 60598.1, AS/NZS 60598.2.1
Supply (Voltage)	220-240V AC~50/60Hz	Recommended Use Warranty	Domestic / Commercial 3 Year Replacement
Temperature Rating	-20°C +25°C	NZ/AU Driver Driver Type	Constant C, Isolated
		Net Weight Gross Weight	1.2KG 1.5KG

All fixtures must be installed by a licensed electrician. Please also consult a licensed electrician for any electrical, dimming and wiring enquiries. For technical support please contact: customerservice@calibo.com.au

Also available in other configurations



[VIEW RANGE PAGE](#)

