




Condor CON-348 Specifications

Type	DC Ceiling Fan	Available Accessories	900mm Extension Rod, 1800mm Extension Rod, 38° Raked Ceiling Kit, DC Wall Controller
Colours	Black and White Motor Bamboo, Black, Koa, Teak and White Blade Options	Speed 1	5,478 m ³ /hr 96 RPM 3.2W
Motor Housing Material	ABS Plastic	Speed 2	8,959 m ³ /hr 157 RPM 6.7W
Blade Material	ABS Plastic	Speed 3	10,272 m ³ /hr 180 RPM 10.6W
Blade Rotational Diameter	1220mm 48"	Speed 4	12,668 m ³ /hr 196 RPM 15.8W
Quantity of Blades	3	Speed 5	13,810 m ³ /hr 224 RPM 23.1W
Blade Pitch	16.5 Degrees	Speed 6	13,981 m ³ /hr 245 RPM 28.3W
Raked Ceiling Compatibility	10°, 38° with accessory	Packaging	
Control Type	6-Speed Remote Control	Motor	
Remote Features	Light Control and 1, 2 and 4 Hour Timer Functions	Net Gross Weight	3.7KG 5.55KG
Reversible	Summer/Winter by Remote	Packaging Dimensions	L431 x W316 x H300mm
Smart Tech	Smart Out of the Box - Tuya	Blades	
Test Standard (Compliance)	AS/NZS 60335.2.80:2016 Inc A1:2020 A2:2022 A3:2023 AS/NZS 60335.1:2020 Inc A1:2021 AS/NZS 60598.2.1:2014 Inc A1:2016 A2:2019 AS/NZS 60598.1:2017 Inc A1:2017 A2:2020	Net Gross Weight	1.2KG 1.35KG
Indoor or Outdoor	Indoor and Covered Outdoor Installation	Packaging Dimensions	L610 x W220 x H65mm
		Motor & Blades	
		Net Gross Weight	4.9KG 7.65KG
		Warranty	6 Year Warranty 3 Year In-Home, 3 Year Parts Only and 12 Months Remote/Receiver


Also available in other configurations



VIEW RANGE PAGE



All fixtures must be installed by a licensed electrician.
Please also consult a licensed electrician for any electrical and wiring enquiries.
For technical support please contact: customerservice@calibo.com.au



Condor CON-348-L Specifications

Type	DC Ceiling Fan	Available Accessories	900mm Extension Rod, 1800mm Extension Rod, 38° Raked Ceiling Kit, DC Wall Controller, Replacement LED Panel
Colours	Black and White Motor Bamboo, Black, Koa, Teak and White Blade Options	Light Kit Type Light Kit Wattage	LED 20W
Motor Housing Material	ABS Plastic	Tri-Colour / CCT	Yes
Blade Material	ABS Plastic	Colour Temperature Lumens	3000K - 1847lm 4000K - 1941lm 5700K - 2008lm
Blade Rotational Diameter	1220mm 48"	Dimmable Dimming Capabilities	Yes
Quantity of Blades	3	Speed 1	5,478 m ³ /hr 96 RPM 3.2W
Blade Pitch	16.5 Degrees	Speed 2	8,959 m ³ /hr 157 RPM 6.7W
Raked Ceiling Compatibility	10°, 38° with accessory	Speed 3	10,272 m ³ /hr 180 RPM 10.6W
Control Type	6-Speed Remote Control	Speed 4	12,668 m ³ /hr 196 RPM 15.8W
Remote Features	Light Control and 1, 2 and 4 Hour Timer Functions	Speed 5	13,810 m ³ /hr 224 RPM 23.1W
Reversible	Summer/Winter by Remote	Speed 6	13,981 m ³ /hr 245 RPM 28.3W
Smart Tech	Smart Out of the Box - Tuya	Packaging	
Test Standard (Compliance)	AS/NZS 60335.2.80:2016 Inc A1:2020 A2:2022 A3:2023 AS/NZS 60335.1:2020 Inc A1:2021 AS/NZS 60598.2.1:2014 Inc A1:2016 A2:2019 AS/NZS 60598.1:2017 Inc A1:2017 A2:2020	Motor	
Indoor or Outdoor	Indoor and Covered Outdoor Installation	Net Gross Weight	4KG 5.85KG
		Packaging Dimensions	L651 x W346 x H300mm
		Blades	
		Net Gross Weight	1.2KG 1.35KG
		Packaging Dimensions	L610 x W220 x H65mm
		Motor & Blades	
		Net Gross Weight	5.2KG 7.95KG
		Warranty	6 Year Warranty 3 Year In-Home, 3 Year Parts Only and 12 Months Remote/Receiver


Also available in other configurations



VIEW RANGE PAGE



All fixtures must be installed by a licensed electrician.
Please also consult a licensed electrician for any electrical and wiring enquiries.
For technical support please contact: customerservice@calibo.com.au



Condor CON-352 Specifications

Type	DC Ceiling Fan	Available Accessories	900mm Extension Rod, 1800mm Extension Rod, 38° Raked Ceiling Kit, DC Wall Controller
Colours	Black and White Motor Bamboo, Black, Koa, Teak and White Blade Options	Speed 1	5,391 m ³ /hr 88 RPM 3.3W
Motor Housing Material	ABS Plastic	Speed 2	7,964 m ³ /hr 130 RPM 6.8W
Blade Material	ABS Plastic	Speed 3	9,925 m ³ /hr 162 RPM 10.5W
Blade Rotational Diameter	1320mm 52"	Speed 4	11,824 m ³ /hr 193 RPM 15.6W
Quantity of Blades	3	Speed 5	13,540 m ³ /hr 221 RPM 22.9W
Blade Pitch	16.5 Degrees	Speed 6	15,010 m ³ /hr 245 RPM 30.7W
Raked Ceiling Compatibility	10°, 38° with accessory	Packaging	
Control Type	6-Speed Remote Control	Motor	
Remote Features	Light Control and 1, 2 and 4 Hour Timer Functions	Net Gross Weight	3.7KG 5.55KG
Reversible	Summer/Winter by Remote	Packaging Dimensions	L431 x W316 x H300mm
Smart Tech	Smart Out of the Box - Tuya	Blades	
Test Standard (Compliance)	AS/NZS 60335.2.80:2016 Inc A1:2020 A2:2022 A3:2023 AS/NZS 60335.1:2020 Inc A1:2021 AS/NZS 60598.2.1:2014 Inc A1:2016 A2:2019 AS/NZS 60598.1:2017 Inc A1:2017 A2:2020	Net Gross Weight	1.3KG 1.35KG
Indoor or Outdoor	Indoor and Covered Outdoor Installation	Packaging Dimensions	L640 x W220 x H65mm
		Motor & Blades	
		Net Gross Weight	5KG 7.75KG
		Warranty	6 Year Warranty 3 Year In-Home, 3 Year Parts Only and 12 Months Remote/Receiver


Also available in other configurations



VIEW RANGE PAGE



All fixtures must be installed by a licensed electrician.
Please also consult a licensed electrician for any electrical and wiring enquiries.
For technical support please contact: customerservice@calibo.com.au



Condor CON-352-L Specifications

Type	DC Ceiling Fan	Available Accessories	900mm Extension Rod, 1800mm Extension Rod, 38° Raked Ceiling Kit, DC Wall Controller, Replacement LED Panel
Colours	Black and White Motor Bamboo, Black, Koa, Teak and White Blade Options	Light Kit Type Light Kit Wattage	LED 20W
Motor Housing Material	ABS Plastic	Tri-Colour / CCT	Yes
Blade Material	ABS Plastic	Colour Temperature Lumens	3000K - 1847lm 4000K - 1941lm 5700K - 2008lm
Blade Rotational Diameter	1320mm 52"	Dimmable Dimming Capabilities	Yes
Quantity of Blades	3	Speed 1	5,391 m ³ /hr 88 RPM 3.3W
Blade Pitch	16.5 Degrees	Speed 2	7,964 m ³ /hr 130 RPM 6.8W
Raked Ceiling Compatibility	10°, 38° with accessory	Speed 3	9,925 m ³ /hr 162 RPM 10.5W
Control Type	6-Speed Remote Control	Speed 4	11,824 m ³ /hr 193 RPM 15.6W
Remote Features	Light Control and 1, 2 and 4 Hour Timer Functions	Speed 5	13,540 m ³ /hr 221 RPM 22.9W
Reversible	Summer/Winter by Remote	Speed 6	15,010 m ³ /hr 245 RPM 30.7W
Smart Tech	Smart Out of the Box - Tuya	Packaging	
Test Standard (Compliance)	AS/NZS 60335.2.80:2016 Inc A1:2020 A2:2022 A3:2023 AS/NZS 60335.1:2020 Inc A1:2021 AS/NZS 60598.2.1:2014 Inc A1:2016 A2:2019 AS/NZS 60598.1:2017 Inc A1:2017 A2:2020	Motor	
		Net Gross Weight	4KG 5.85KG
Indoor or Outdoor	Indoor and Covered Outdoor Installation	Packaging Dimensions	L651 x W346 x H300mm
		Blades	
		Net Gross Weight	1.3KG 1.5KG
		Packaging Dimensions	L640 x W220 x H65mm
		Motor & Blades	
		Net Gross Weight	5.3KG 8.05KG
		Warranty	6 Year Warranty 3 Year In-Home, 3 Year Parts Only and 12 Months Remote/Receiver


Also available in other configurations



VIEW RANGE PAGE



All fixtures must be installed by a licensed electrician.
Please also consult a licensed electrician for any electrical and wiring enquiries.
For technical support please contact: customerservice@calibo.com.au



Condor CON-356 Specifications

Type	DC Ceiling Fan	Available Accessories	900mm Extension Rod, 1800mm Extension Rod, 38° Raked Ceiling Kit, DC Wall Controller
Colours	Black and White Motor Bamboo, Black, Koa, Teak and White Blade Options	Speed 1	5,797 m ³ /hr 85 RPM 3.1W
Motor Housing Material	ABS Plastic	Speed 2	8,729 m ³ /hr 128 RPM 6.8W
Blade Material	ABS Plastic	Speed 3	10,570 m ³ /hr 155 RPM 10.6W
Blade Rotational Diameter	1420mm 56"	Speed 4	12,411 m ³ /hr 182 RPM 15.6W
Quantity of Blades	3	Speed 5	14,253 m ³ /hr 209 RPM 22.9W
Blade Pitch	16.5 Degrees	Speed 6	16,094 m ³ /hr 236 RPM 32.9W
Raked Ceiling Compatibility	10°, 38° with accessory	Packaging	
Control Type	6-Speed Remote Control	Motor	
Remote Features	Light Control and 1, 2 and 4 Hour Timer Functions	Net Gross Weight	3.7KG 5.55KG
Reversible	Summer/Winter by Remote	Packaging Dimensions	L431 x W316 x H300mm
Smart Tech	Smart Out of the Box - Tuya	Blades	
Test Standard (Compliance)	AS/NZS 60335.2.80:2016 Inc A1:2020 A2:2022 A3:2023 AS/NZS 60335.1:2020 Inc A1:2021 AS/NZS 60598.2.1:2014 Inc A1:2016 A2:2019 AS/NZS 60598.1:2017 Inc A1:2017 A2:2020	Net Gross Weight	1.45KG 1.65KG
Indoor or Outdoor	Indoor and Covered Outdoor Installation	Packaging Dimensions	L690 x W220 x H65mm
		Motor & Blades	
		Net Gross Weight	5.15KG 8.25KG
		Warranty	6 Year Warranty 3 Year In-Home, 3 Year Parts Only and 12 Months Remote/Receiver


Also available in other configurations



VIEW RANGE PAGE



All fixtures must be installed by a licensed electrician.
Please also consult a licensed electrician for any electrical and wiring enquiries.
For technical support please contact: customerservice@calibo.com.au



Condor CON-356-L Specifications

Type	DC Ceiling Fan	Available Accessories	900mm Extension Rod, 1800mm Extension Rod, 38° Raked Ceiling Kit, DC Wall Controller, Replacement LED Panel
Colours	Black and White Motor Bamboo, Black, Koa, Teak and White Blade Options	Light Kit Type Light Kit Wattage	LED 20W
Motor Housing Material	ABS Plastic	Tri-Colour / CCT	Yes
Blade Material	ABS Plastic	Colour Temperature Lumens	3000K - 1847lm 4000K - 1941lm 5700K - 2008lm
Blade Rotational Diameter	1420mm 56"	Dimmable Dimming Capabilities	Yes
Quantity of Blades	3	Speed 1	5,797 m³/hr 85 RPM 3.1W
Blade Pitch	16.5 Degrees	Speed 2	8,729 m³/hr 128 RPM 6.8W
Raked Ceiling Compatibility	10°, 38° with accessory	Speed 3	10,570 m³/hr 155 RPM 10.6W
Control Type	6-Speed Remote Control	Speed 4	12,411 m³/hr 182 RPM 15.6W
Remote Features	Light Control and 1, 2 and 4 Hour Timer Functions	Speed 5	14,253 m³/hr 209 RPM 22.9W
Reversible	Summer/Winter by Remote	Speed 6	16,094 m³/hr 236 RPM 32.9W
Smart Tech	Smart Out of the Box - Tuya	Packaging	
Test Standard (Compliance)	AS/NZS 60335.2.80:2016 Inc A1:2020 A2:2022 A3:2023	Motor	
	AS/NZS 60335.1:2020 Inc A1:2021	Net Gross Weight	4KG 5.85KG
	AS/NZS 60598.2.1:2014 Inc A1:2016 A2:2019	Packaging Dimensions	L651 x W346 x H300mm
	AS/NZS 60598.1:2017 Inc A1:2017 A2:2020	Blades	
Indoor or Outdoor	Indoor and Covered Outdoor Installation	Net Gross Weight	1.45KG 1.65KG
		Packaging Dimensions	L690 x W220 x H65mm
		Motor & Blades	
		Net Gross Weight	5.45KG 8.55KG
		Warranty	6 Year Warranty 3 Year In-Home, 3 Year Parts Only and 12 Months Remote/Receiver

Also available in other configurations



VIEW RANGE PAGE



All fixtures must be installed by a licensed electrician.
Please also consult a licensed electrician for any electrical and wiring enquiries.
For technical support please contact: customerservice@calibo.com.au