




Vanga VAN-448 Specifications

Type	DC Ceiling Fan	Available Accessories	900mm Extension Rod, 1800mm Extension Rod, 38° Raked Ceiling Kit, DC Wall Controller
Colours	Black and White Motor Bamboo, Black, Koa, Teak and White Blade Options	Speed 1	4,720 m ³ /hr 82 RPM 2.6W
Motor Housing Material	ABS Plastic	Speed 2	7,368 m ³ /hr 128 RPM 6.7W
Blade Material	ABS Plastic	Speed 3	9,095 m ³ /hr 158 RPM 10.1W
Blade Rotational Diameter	1220mm 48"	Speed 4	10,937 m ³ /hr 190 RPM 15.4W
Quantity of Blades	4	Speed 5	12,779 m ³ /hr 222 RPM 22.4W
Blade Pitch	16.5 Degrees	Speed 6	14,103 m ³ /hr 245 RPM 30.3W
Raked Ceiling Compatibility	10°, 38° with accessory	Packaging	
Control Type	6-Speed Remote Control	Motor	
Remote Features	Light Control and 1, 2 and 4 Hour Timer Functions	Net Gross Weight	3.7KG 5.55KG
Reversible	Summer/Winter by Remote	Packaging Dimensions	L431 x W316 x H300mm
Smart Tech	Smart Out of the Box - Tuya	Blades	
Test Standard (Compliance)	AS/NZS 60335.2.80:2016 Inc A1:2020 A2:2022 A3:2023 AS/NZS 60335.1:2020 Inc A1:2021 AS/NZS 60598.2.1:2014 Inc A1:2016 A2:2019 AS/NZS 60598.1:2017 Inc A1:2017 A2:2020	Net Gross Weight	1.45KG 1.6KG
Indoor or Outdoor	Indoor and Covered Outdoor Installation	Packaging Dimensions	L590 x W180 x H80mm
		Motor & Blades	
		Net Gross Weight	5.15KG 7.9KG
		Warranty	6 Year Warranty 3 Year In-Home, 3 Year Parts Only and 12 Months Remote/Receiver


Also available in other configurations



VIEW RANGE PAGE



All fixtures must be installed by a licensed electrician.
Please also consult a licensed electrician for any electrical and wiring enquiries.
For technical support please contact: customerservice@calibo.com.au



Vanga VAN-448-L Specifications

Type	DC Ceiling Fan	Available Accessories	900mm Extension Rod, 1800mm Extension Rod, 38° Raked Ceiling Kit, DC Wall Controller, Replacement LED Panel
Colours	Black and White Motor Bamboo, Black, Koa, Teak and White Blade Options	Light Kit Type Light Kit Wattage	LED 20W
Motor Housing Material	ABS Plastic	Tri-Colour / CCT	Yes
Blade Material	ABS Plastic	Colour Temperature Lumens	3000K - 1847lm 4000K - 1941lm 5700K - 2008lm
Blade Rotational Diameter	1220mm 48"	Dimmable Dimming Capabilities	Yes
Quantity of Blades	4	Speed 1	4,720 m ³ /hr 82 RPM 2.6W
Blade Pitch	16.5 Degrees	Speed 2	7,368 m ³ /hr 128 RPM 6.7W
Raked Ceiling Compatibility	10°, 38° with accessory	Speed 3	9,095 m ³ /hr 158 RPM 10.1W
Control Type	6-Speed Remote Control	Speed 4	10,937 m ³ /hr 190 RPM 15.4W
Remote Features	Light Control and 1, 2 and 4 Hour Timer Functions	Speed 5	12,779 m ³ /hr 222 RPM 22.4W
Reversible	Summer/Winter by Remote	Speed 6	14,103 m ³ /hr 245 RPM 30.3W
Smart Tech	Smart Out of the Box - Tuya	Packaging	
Test Standard (Compliance)	AS/NZS 60335.2.80:2016 Inc A1:2020 A2:2022 A3:2023 AS/NZS 60335.1:2020 Inc A1:2021 AS/NZS 60598.2.1:2014 Inc A1:2016 A2:2019 AS/NZS 60598.1:2017 Inc A1:2017 A2:2020	Motor	
Indoor or Outdoor	Indoor and Covered Outdoor Installation	Net Gross Weight	4KG 5.85KG
		Packaging Dimensions	L651 x W346 x H300mm
		Blades	
		Net Gross Weight	1.45KG 1.6KG
		Packaging Dimensions	L590 x W180 x H80mm
		Motor & Blades	
		Net Gross Weight	5.45KG 8.2KG
		Warranty	6 Year Warranty 3 Year In-Home, 3 Year Parts Only and 12 Months Remote/Receiver


Also available in other configurations



VIEW RANGE PAGE



All fixtures must be installed by a licensed electrician.
Please also consult a licensed electrician for any electrical and wiring enquiries.
For technical support please contact: customerservice@calibo.com.au



Vanga VAN-452 Specifications

Type	DC Ceiling Fan	Available Accessories	900mm Extension Rod, 1800mm Extension Rod, 38° Raked Ceiling Kit, DC Wall Controller
Colours	Black and White Motor Bamboo, Black, Koa, Teak and White Blade Options	Speed 1	5,009 m ³ /hr 75 RPM 2.9W
Motor Housing Material	ABS Plastic	Speed 2	8,015 m ³ /hr 120 RPM 6.7W
Blade Material	ABS Plastic	Speed 3	9,684 m ³ /hr 145 RPM 9.9W
Blade Rotational Diameter	1320mm 52"	Speed 4	11,354 m ³ /hr 170 RPM 15.2W
Quantity of Blades	4	Speed 5	13,358 m ³ /hr 200 RPM 22.2W
Blade Pitch	16.5 Degrees	Speed 6	15,228 m ³ /hr 228 RPM 32.7W
Raked Ceiling Compatibility	10°, 38° with accessory	Packaging	
Control Type	6-Speed Remote Control	Motor	
Remote Features	Light Control and 1, 2 and 4 Hour Timer Functions	Net Gross Weight	3.7KG 5.55KG
Reversible	Summer/Winter by Remote	Packaging Dimensions	L431 x W316 x H300mm
Smart Tech	Smart Out of the Box - Tuya	Blades	
Test Standard (Compliance)	AS/NZS 60335.2.80:2016 Inc A1:2020 A2:2022 A3:2023 AS/NZS 60335.1:2020 Inc A1:2021 AS/NZS 60598.2.1:2014 Inc A1:2016 A2:2019 AS/NZS 60598.1:2017 Inc A1:2017 A2:2020	Net Gross Weight	1.6KG 1.75KG
Indoor or Outdoor	Indoor and Covered Outdoor Installation	Packaging Dimensions	L620 x W180 x H80mm
		Motor & Blades	
		Net Gross Weight	5.3KG 8.05KG
		Warranty	6 Year Warranty 3 Year In-Home, 3 Year Parts Only and 12 Months Remote/Receiver


Also available in other configurations



VIEW RANGE PAGE



All fixtures must be installed by a licensed electrician.
Please also consult a licensed electrician for any electrical and wiring enquiries.
For technical support please contact: customerservice@calibo.com.au



Vanga VAN-452-L Specifications

Type	DC Ceiling Fan	Available Accessories	900mm Extension Rod, 1800mm Extension Rod, 38° Raked Ceiling Kit, DC Wall Controller, Replacement LED Panel
Colours	Black and White Motor Bamboo, Black, Koa, Teak and White Blade Options	Light Kit Type Light Kit Wattage	LED 20W
Motor Housing Material	ABS Plastic	Tri-Colour / CCT	Yes
Blade Material	ABS Plastic	Colour Temperature Lumens	3000K - 1847lm 4000K - 1941lm 5700K - 2008lm
Blade Rotational Diameter	1320mm 52"	Dimmable Dimming Capabilities	Yes
Quantity of Blades	4	Speed 1	5,009 m³/hr 75 RPM 2.9W
Blade Pitch	16.5 Degrees	Speed 2	8,015 m³/hr 120 RPM 6.7W
Raked Ceiling Compatibility	10°, 38° with accessory	Speed 3	9,684 m³/hr 145 RPM 9.9W
Control Type	6-Speed Remote Control	Speed 4	11,354 m³/hr 170 RPM 15.2W
Remote Features	Light Control and 1, 2 and 4 Hour Timer Functions	Speed 5	13,358 m³/hr 200 RPM 22.2W
Reversible	Summer/Winter by Remote	Speed 6	15,228 m³/hr 228 RPM 32.7W
Smart Tech	Smart Out of the Box - Tuya	Packaging	
Test Standard (Compliance)	AS/NZS 60335.2.80:2016 Inc A1:2020 A2:2022 A3:2023 AS/NZS 60335.1:2020 Inc A1:2021 AS/NZS 60598.2.1:2014 Inc A1:2016 A2:2019 AS/NZS 60598.1:2017 Inc A1:2017 A2:2020	Motor	
Indoor or Outdoor	Indoor and Covered Outdoor Installation	Net Gross Weight	4KG 5.85KG
		Packaging Dimensions	L651 x W346 x H300mm
		Blades	
		Net Gross Weight	1.6KG 1.75KG
		Packaging Dimensions	L620 x W180 x H80mm
		Motor & Blades	
		Net Gross Weight	5.6KG 8.35KG
		Warranty	6 Year Warranty 3 Year In-Home, 3 Year Parts Only and 12 Months Remote/Receiver


Also available in other configurations



VIEW RANGE PAGE



All fixtures must be installed by a licensed electrician.
Please also consult a licensed electrician for any electrical and wiring enquiries.
For technical support please contact: customerservice@calibo.com.au



Vanga VAN-456 Specifications

Type	DC Ceiling Fan	Available Accessories	900mm Extension Rod, 1800mm Extension Rod, 38° Raked Ceiling Kit, DC Wall Controller
Colours	Black and White Motor Bamboo, Black, Koa, Teak and White Blade Options	Speed 1	5,638 m ³ /hr 64 RPM 2.8W
Motor Housing Material	ABS Plastic	Speed 2	8,986 m ³ /hr 102 RPM 6.4W
Blade Material	ABS Plastic	Speed 3	10,748 m ³ /hr 122 RPM 9.8W
Blade Rotational Diameter	1420mm 56"	Speed 4	12,598 m ³ /hr 143 RPM 15W
Quantity of Blades	4	Speed 5	14,536 m ³ /hr 165 RPM 22.3W
Blade Pitch	16.5 Degrees	Speed 6	16,386 m ³ /hr 186 RPM 32.4W
Raked Ceiling Compatibility	10°, 38° with accessory	Packaging	
Control Type	6-Speed Remote Control	Motor	
Remote Features	Light Control and 1, 2 and 4 Hour Timer Functions	Net Gross Weight	3.7KG 5.55KG
Reversible	Summer/Winter by Remote	Packaging Dimensions	L431 x W316 x H300mm
Smart Tech	Smart Out of the Box - Tuya	Blades	
Test Standard (Compliance)	AS/NZS 60335.2.80:2016 Inc A1:2020 A2:2022 A3:2023 AS/NZS 60335.1:2020 Inc A1:2021 AS/NZS 60598.2.1:2014 Inc A1:2016 A2:2019 AS/NZS 60598.1:2017 Inc A1:2017 A2:2020	Net Gross Weight	1.8KG 1.95KG
Indoor or Outdoor	Indoor and Covered Outdoor Installation	Packaging Dimensions	L670 x W180 x H80mm
		Motor & Blades	
		Net Gross Weight	5.5KG 8.55KG
		Warranty	6 Year Warranty 3 Year In-Home, 3 Year Parts Only and 12 Months Remote/Receiver


Also available in other configurations



VIEW RANGE PAGE



All fixtures must be installed by a licensed electrician.
Please also consult a licensed electrician for any electrical and wiring enquiries.
For technical support please contact: customerservice@calibo.com.au



Vanga VAN-456-L Specifications

Type	DC Ceiling Fan	Available Accessories	900mm Extension Rod, 1800mm Extension Rod, 38° Raked Ceiling Kit, DC Wall Controller, Replacement LED Panel
Colours	Black and White Motor Bamboo, Black, Koa, Teak and White Blade Options	Light Kit Type Light Kit Wattage	LED 20W
Motor Housing Material	ABS Plastic	Tri-Colour / CCT	Yes
Blade Material	ABS Plastic	Colour Temperature Lumens	3000K - 1847lm 4000K - 1941lm 5700K - 2008lm
Blade Rotational Diameter	1420mm 56"	Dimmable Dimming Capabilities	Yes
Quantity of Blades	4	Speed 1	5,638 m³/hr 64 RPM 2.8W
Blade Pitch	16.5 Degrees	Speed 2	8,986 m³/hr 102 RPM 6.4W
Raked Ceiling Compatibility	10°, 38° with accessory	Speed 3	10,748 m³/hr 122 RPM 9.8W
Control Type	6-Speed Remote Control	Speed 4	12,598 m³/hr 143 RPM 15W
Remote Features	Light Control and 1, 2 and 4 Hour Timer Functions	Speed 5	14,536 m³/hr 165 RPM 22.3W
Reversible	Summer/Winter by Remote	Speed 6	16,386 m³/hr 186 RPM 32.4W
Smart Tech	Smart Out of the Box - Tuya	Packaging	
Test Standard (Compliance)	AS/NZS 60335.2.80:2016 Inc A1:2020 A2:2022 A3:2023 AS/NZS 60335.1:2020 Inc A1:2021 AS/NZS 60598.2.1:2014 Inc A1:2016 A2:2019 AS/NZS 60598.1:2017 Inc A1:2017 A2:2020	Motor	
Indoor or Outdoor	Indoor and Covered Outdoor Installation	Net Gross Weight	4KG 5.85KG
		Packaging Dimensions	L651 x W346 x H300mm
		Blades	
		Net Gross Weight	1.8KG 1.95KG
		Packaging Dimensions	L670 x W180 x H80mm
		Motor & Blades	
		Net Gross Weight	5.8KG 8.85KG
		Warranty	6 Year Warranty 3 Year In-Home, 3 Year Parts Only and 12 Months Remote/Receiver

Also available in other configurations



VIEW RANGE PAGE



All fixtures must be installed by a licensed electrician.
Please also consult a licensed electrician for any electrical and wiring enquiries.
For technical support please contact: customerservice@calibo.com.au