




Storm STO-548 Specifications

Type	DC Ceiling Fan	Available Accessories	900mm Extension Rod, 1800mm Extension Rod, 38° Raked Ceiling Kit, DC Wall Controller, Timber-Look Blades
Colours	Black and White Motor Bamboo, Black, Koa and White Blade Options	Speed 1	5,336 m ³ /hr 75 RPM 3.2W
Motor Housing Material	ABS Plastic	Speed 2	6,387 m ³ /hr 100 RPM 4.2W
Blade Material	ABS Plastic	Speed 3	7,664 m ³ /hr 141 RPM 10.5W
Blade Rotational Diameter	1220mm 48"	Speed 4	9,580 m ³ /hr 178 RPM 19W
Quantity of Blades	5	Speed 5	10,857 m ³ /hr 185 RPM 22.5W
Blade Pitch	14 Degrees	Speed 6	12,774 m ³ /hr 198 RPM 26W
Raked Ceiling Compatibility	0°, 38° with accessory	Packaging	
Control Type	6-Speed Remote Control	Motor & Blades	
Remote Features	Light Control and 1, 2 and 4 Hour Timer Functions	Net Gross Weight	5.45KG 6.35KG
Reversible	Summer/Winter by Remote	Packaging Dimensions	L605 x W290 x H320mm
Smart Tech	Smart with Accessory - Tuya	Warranty	6 Year Warranty 3 Year In-Home, 3 Year Parts Only and 12 Months Remote/Receiver
Test Standard (Compliance)	AS/NZS 60335.2.80:2016 Inc A1:2020 A2:2022 A3:2023 AS/NZS 60335.1:2020 Inc A1:2021 AS/NZS 60598.2.1:2014 Inc A1:2016 A2:2019 AS/NZS 60598.1:2017 Inc A1:2017 A2:2020		
Indoor or Outdoor	Indoor and Covered Outdoor Installation		


Also available in other configurations



[VIEW RANGE PAGE](#)



All fixtures must be installed by a licensed electrician.
Please also consult a licensed electrician for any electrical and wiring enquiries.
For technical support please contact: customerservice@calibo.com.au



Storm STO-548-L Specifications

Type	DC Ceiling Fan	Available Accessories	900mm Extension Rod, 1800mm Extension Rod, 38° Raked Ceiling Kit, DC Wall Controller, Timber-Look Blades, Replacement LED Panel
Colours	Black and White Motor Bamboo, Black, Koa and White Blade Options	Light Kit Type Light Kit Wattage	LED 18W
Motor Housing Material	ABS Plastic	Tri-Colour / CCT	Yes
Blade Material	ABS Plastic	Colour Temperature Lumens	3000K - 1443lm 4000K - 2370lm 6000K - 2123lm
Blade Rotational Diameter	1220mm 48"	Dimmable Dimming Capabilities	Yes
Quantity of Blades	5	Speed 1	5,336 m ³ /hr 75 RPM 3.2W
Blade Pitch	14 Degrees	Speed 2	6,387 m ³ /hr 100 RPM 4.2W
Raked Ceiling Compatibility	0°, 38° with accessory	Speed 3	7,664 m ³ /hr 141 RPM 10.5W
Control Type	6-Speed Remote Control	Speed 4	9,580 m ³ /hr 178 RPM 19W
Remote Features	Light Control and 1, 2 and 4 Hour Timer Functions	Speed 5	10,857 m ³ /hr 185 RPM 22.5W
Reversible	Summer/Winter by Remote	Speed 6	12,774 m ³ /hr 198 RPM 26W
Smart Tech	Smart with Accessory - Tuya	Packaging	
Test Standard (Compliance)	AS/NZS 60335.2.80:2016 Inc A1:2020 A2:2022 A3:2023 AS/NZS 60335.1:2020 Inc A1:2021 AS/NZS 60598.2.1:2014 Inc A1:2016 A2:2019 AS/NZS 60598.1:2017 Inc A1:2017 A2:2020	Motor & Blades	
Indoor or Outdoor	Indoor and Covered Outdoor Installation	Net Gross Weight	6.25KG 7.15KG
		Packaging Dimensions	L605 x W290 x H320mm
		Warranty	6 Year Warranty 3 Year In-Home, 3 Year Parts Only and 12 Months Remote/Receiver


Also available in other configurations



[VIEW RANGE PAGE](#)



All fixtures must be installed by a licensed electrician.
Please also consult a licensed electrician for any electrical and wiring enquiries.
For technical support please contact: customerservice@calibo.com.au



Storm STO-552 Specifications

Type	DC Ceiling Fan	Available Accessories	900mm Extension Rod, 1800mm Extension Rod, 38° Raked Ceiling Kit, DC Wall Controller, Timber-Look Blades
Colours	Black and White Motor Bamboo, Black, Koa and White Blade Options	Speed 1	5,424 m ³ /hr 85 RPM 3.76W
Motor Housing Material	ABS Plastic	Speed 2	7,464 m ³ /hr 105 RPM 5.41W
Blade Material	ABS Plastic	Speed 3	8,958 m ³ /hr 133 RPM 8.75W
Blade Rotational Diameter	1320mm 52"	Speed 4	11,196 m ³ /hr 160 RPM 14.49W
Quantity of Blades	5	Speed 5	12,688 m ³ /hr 183 RPM 20.59W
Blade Pitch	14 Degrees	Speed 6	14,928 m ³ /hr 193 RPM 24.52W
Raked Ceiling Compatibility	0°, 38° with accessory	Packaging	
Control Type	6-Speed Remote Control	Motor & Blades	
Remote Features	Light Control and 1, 2 and 4 Hour Timer Functions	Net Gross Weight	5.45KG 6.35KG
Reversible	Summer/Winter by Remote	Packaging Dimensions	L605 x W290 x H320mm
Smart Tech	Smart with Accessory - Tuya	Warranty	6 Year Warranty 3 Year In-Home, 3 Year Parts Only and 12 Months Remote/Receiver
Test Standard (Compliance)	AS/NZS 60335.2.80:2016 Inc A1:2020 A2:2022 A3:2023 AS/NZS 60335.1:2020 Inc A1:2021 AS/NZS 60598.2.1:2014 Inc A1:2016 A2:2019 AS/NZS 60598.1:2017 Inc A1:2017 A2:2020		
Indoor or Outdoor	Indoor and Covered Outdoor Installation		


Also available in other configurations



[VIEW RANGE PAGE](#)



All fixtures must be installed by a licensed electrician.
Please also consult a licensed electrician for any electrical and wiring enquiries.
For technical support please contact: customerservice@calibo.com.au



Storm STO-552-L Specifications

Type	DC Ceiling Fan	Available Accessories	900mm Extension Rod, 1800mm Extension Rod, 38° Raked Ceiling Kit, DC Wall Controller, Timber-Look Blades, Replacement LED Panel
Colours	Black and White Motor Bamboo, Black, Koa and White Blade Options	Light Kit Type Light Kit Wattage	LED 18W
Motor Housing Material	ABS Plastic	Tri-Colour / CCT	Yes
Blade Material	ABS Plastic	Colour Temperature Lumens	3000K - 1443lm 4000K - 2370lm 6000K - 2123lm
Blade Rotational Diameter	1320mm 52"	Dimmable Dimming Capabilities	Yes
Quantity of Blades	5	Speed 1	5,424 m ³ /hr 85 RPM 3.76W
Blade Pitch	14 Degrees	Speed 2	7,464 m ³ /hr 105 RPM 5.41W
Raked Ceiling Compatibility	0°, 38° with accessory	Speed 3	8,958 m ³ /hr 133 RPM 8.75W
Control Type	6-Speed Remote Control	Speed 4	11,196 m ³ /hr 160 RPM 14.49W
Remote Features	Light Control and 1, 2 and 4 Hour Timer Functions	Speed 5	12,688 m ³ /hr 183 RPM 20.59W
Reversible	Summer/Winter by Remote	Speed 6	14,928 m ³ /hr 193 RPM 24.52W
Smart Tech	Smart with Accessory - Tuya	Packaging	
Test Standard (Compliance)	AS/NZS 60335.2.80:2016 Inc A1:2020 A2:2022 A3:2023 AS/NZS 60335.1:2020 Inc A1:2021 AS/NZS 60598.2.1:2014 Inc A1:2016 A2:2019 AS/NZS 60598.1:2017 Inc A1:2017 A2:2020	Motor & Blades	
Indoor or Outdoor	Indoor and Covered Outdoor Installation	Net Gross Weight	6.25KG 7.15KG
		Packaging Dimensions	L605 x W290 x H320mm
		Warranty	6 Year Warranty 3 Year In-Home, 3 Year Parts Only and 12 Months Remote/Receiver


Also available in other configurations



VIEW RANGE PAGE



All fixtures must be installed by a licensed electrician.
Please also consult a licensed electrician for any electrical and wiring enquiries.
For technical support please contact: customerservice@calibo.com.au



Storm STO-556 Specifications

Type	DC Ceiling Fan	Available Accessories	900mm Extension Rod, 1800mm Extension Rod, 38° Raked Ceiling Kit, DC Wall Controller, Timber-Look Blades
Colours	Black and White Motor Bamboo, Black, Koa and White Blade Options	Speed 1	5,456 m ³ /hr 68 RPM 3.3W
Motor Housing Material	ABS Plastic	Speed 2	7,986 m ³ /hr 87 RPM 4.9W
Blade Material	ABS Plastic	Speed 3	9,601 m ³ /hr 112 RPM 10W
Blade Rotational Diameter	1420mm 56"	Speed 4	12,012 m ³ /hr 141 RPM 18.2W
Quantity of Blades	5	Speed 5	13,602 m ³ /hr 160 RPM 27W
Blade Pitch	14 Degrees	Speed 6	16,003 m ³ /hr 178 RPM 35W
Raked Ceiling Compatibility	0°, 38° with accessory	Packaging	
Control Type	6-Speed Remote Control	Motor & Blades	
Remote Features	Light Control and 1, 2 and 4 Hour Timer Functions	Net Gross Weight	5.5KG 6.4KG
Reversible	Summer/Winter by Remote	Packaging Dimensions	L660 x W290 x H315mm
Smart Tech	Smart with Accessory - Tuya	Warranty	6 Year Warranty 3 Year In-Home, 3 Year Parts Only and 12 Months Remote/Receiver
Test Standard (Compliance)	AS/NZS 60335.2.80:2016 Inc A1:2020 A2:2022 A3:2023 AS/NZS 60335.1:2020 Inc A1:2021 AS/NZS 60598.2.1:2014 Inc A1:2016 A2:2019 AS/NZS 60598.1:2017 Inc A1:2017 A2:2020		
Indoor or Outdoor	Indoor and Covered Outdoor Installation		


Also available in other configurations



VIEW RANGE PAGE



All fixtures must be installed by a licensed electrician.
Please also consult a licensed electrician for any electrical and wiring enquiries.
For technical support please contact: customerservice@calibo.com.au



Storm STO-556-L Specifications

Type	DC Ceiling Fan	Available Accessories	900mm Extension Rod, 1800mm Extension Rod, 38° Raked Ceiling Kit, DC Wall Controller, Timber-Look Blades, Replacement LED Panel
Colours	Black and White Motor Bamboo, Black, Koa and White Blade Options	Light Kit Type Light Kit Wattage	LED 18W
Motor Housing Material	ABS Plastic	Tri-Colour / CCT	Yes
Blade Material	ABS Plastic	Colour Temperature Lumens	3000K - 1443lm 4000K - 2370lm 6000K - 2123lm
Blade Rotational Diameter	1420mm 56"	Dimmable Dimming Capabilities	Yes
Quantity of Blades	5	Speed 1	5,456 m ³ /hr 68 RPM 3.3W
Blade Pitch	14 Degrees	Speed 2	7,986 m ³ /hr 87 RPM 4.9W
Raked Ceiling Compatibility	0°, 38° with accessory	Speed 3	9,601 m ³ /hr 112 RPM 10W
Control Type	6-Speed Remote Control	Speed 4	12,012 m ³ /hr 141 RPM 18.2W
Remote Features	Light Control and 1, 2 and 4 Hour Timer Functions	Speed 5	13,602 m ³ /hr 160 RPM 27W
Reversible	Summer/Winter by Remote	Speed 6	16,003 m ³ /hr 178 RPM 35W
Smart Tech	Smart with Accessory - Tuya	Packaging	
Test Standard (Compliance)	AS/NZS 60335.2.80:2016 Inc A1:2020 A2:2022 A3:2023 AS/NZS 60335.1:2020 Inc A1:2021 AS/NZS 60598.2.1:2014 Inc A1:2016 A2:2019 AS/NZS 60598.1:2017 Inc A1:2017 A2:2020	Motor & Blades	
Indoor or Outdoor	Indoor and Covered Outdoor Installation	Net Gross Weight	6.35KG 7.25KG
		Packaging Dimensions	L660 x W290 x H315mm
		Warranty	6 Year Warranty 3 Year In-Home, 3 Year Parts Only and 12 Months Remote/Receiver

Also available in other configurations



[VIEW RANGE PAGE](#)



All fixtures must be installed by a licensed electrician.
Please also consult a licensed electrician for any electrical and wiring enquiries.
For technical support please contact: customerservice@calibo.com.au