





Kestrel KES-448 Specifications

Type	DC Ceiling Fan	Available Accessories	900mm Extension Rod, 1800mm Extension Rod, 38° Raked Ceiling Kit, DC Wall Control
Colours	Black and White Motor Black and White Blade Options	Speed 1	3,416 m ³ /hr 94 RPM 2.7W
Motor Housing Material	Steel	Speed 2	4,555 m ³ /hr 125 RPM 5.1W
Blade Material	ABS Plastic	Speed 3	6,833 m ³ /hr 164 RPM 8.2W
Blade Rotational Diameter	1220mm 48"	Speed 4	8,538 m ³ /hr 191 RPM 11.6W
Quantity of Blades	4	Speed 5	9,677 m ³ /hr 225 RPM 17.8W
Blade Pitch	15 Degrees	Speed 6	11,388 m ³ /hr 247 RPM 23.2W
Raked Ceiling Compatibility	10°, 38° with accessory	Packaging	
Control Type	6-Speed Remote Control	Motor & Blades	
Remote Features	Light Control, 1, 4 and 8 Hour Timer Functions and "Away from Home" Mode	Net Gross Weight	5.75KG 6.55KG
Reversible	Summer/Winter by Remote	Packaging Dimensions	L595 x W247 x H260mm
Test Standard (Compliance)	AS/NZS 60335.2.80:2016 Inc A1:2020 A2:2022 A3:2023 AS/NZS 60335.1:2020 Inc A1:2021 AS/NZS 60598.2.1:2014 Inc A1:2016 A2:2019 AS/NZS 60598.1:2017 Inc A1:2017 A2:2020	Warranty	6 Year Warranty 3 Year In-Home, 3 Year Parts Only and 12 Months Remote/Receiver
Indoor or Outdoor	Indoor and Covered Outdoor Installation		

Also available in other configurations





Kestrel KES-448-E27 Specifications

Type	DC Ceiling Fan	Available Accessories	900mm Extension Rod, 1800mm Extension Rod, 38° Raked Ceiling Kit, DC Wall Control
Colours	Black and White Motor Black and White Blade Options	Light Kit Type Light Kit Wattage	2 x E27 Max 2 x 40W
Motor Housing Material	Steel	Speed 1	3,416 m³/hr 94 RPM 2.7W
Blade Material	ABS Plastic	Speed 2	4,555 m³/hr 125 RPM 5.1W
Blade Rotational Diameter	1220mm 48"	Speed 3	6,833 m³/hr 164 RPM 8.2W
Quantity of Blades	4	Speed 4	8,538 m³/hr 191 RPM 11.6W
Blade Pitch	15 Degrees	Speed 5	9,677 m³/hr 225 RPM 17.8W
Raked Ceiling Compatibility	10°, 38° with accessory	Speed 6	11,388 m³/hr 247 RPM 23.2W
Control Type	6-Speed Remote Control	Packaging	
Remote Features	Light Control, 1, 4 and 8 Hour Timer Functions and "Away from Home" Mode	Motor & Blades	
Reversible	Summer/Winter by Remote	Net Gross Weight	6.15KG 6.95KG
Test Standard (Compliance)	AS/NZS 60335.2.80:2016 Inc A1:2020 A2:2022 A3:2023 AS/NZS 60335.1:2020 Inc A1:2021 AS/NZS 60598.2.1:2014 Inc A1:2016 A2:2019 AS/NZS 60598.1:2017 Inc A1:2017 A2:2020	Packaging Dimensions	L595 x W247 x H260mm
Indoor or Outdoor	Indoor and Covered Outdoor Installation	Warranty	6 Year Warranty 3 Year In-Home, 3 Year Parts Only and 12 Months Remote/Receiver


Also available in other configurations



VIEW RANGE PAGE



All fixtures must be installed by a licensed electrician.
Please also consult a licensed electrician for any electrical and wiring enquiries.
For technical support please contact: customerservice@calibo.com.au



Kestrel KES-448-LED Specifications

Type	DC Ceiling Fan	Available Accessories	900mm Extension Rod, 1800mm Extension Rod, 38° Raked Ceiling Kit, Replacement LED Panel, DC Wall Control
Colours	Black and White Motor Black and White Blade Options	Light Kit Type Light Kit Wattage	LED 18W
Motor Housing Material	Steel	Tri-Colour / CCT	Yes
Blade Material	ABS Plastic	Colour Temperature Lumens	3000K - 1166lm 4000K - 1300lm 6000K - 1260lm
Blade Rotational Diameter	1220mm 48"	Dimmable Dimming Capabilities	Yes
Quantity of Blades	4	Speed 1	3,416 m ³ /hr 94 RPM 2.7W
Blade Pitch	15 Degrees	Speed 2	4,555 m ³ /hr 125 RPM 5.1W
Raked Ceiling Compatibility	10°, 38° with accessory	Speed 3	6,833 m ³ /hr 164 RPM 8.2W
Control Type	6-Speed Remote Control	Speed 4	8,538 m ³ /hr 191 RPM 11.6W
Remote Features	Light Control, 1, 4 and 8 Hour Timer Functions and "Away from Home" Mode	Speed 5	9,677 m ³ /hr 225 RPM 17.8W
Reversible	Summer/Winter by Remote	Speed 6	11,388 m ³ /hr 247 RPM 23.2W
Test Standard (Compliance)	AS/NZS 60335.2.80:2016 Inc A1:2020 A2:2022 A3:2023 AS/NZS 60335.1:2020 Inc A1:2021 AS/NZS 60598.2.1:2014 Inc A1:2016 A2:2019 AS/NZS 60598.1:2017 Inc A1:2017 A2:2020	Packaging	
Indoor or Outdoor	Indoor and Covered Outdoor Installation	Motor & Blades	
		Net Gross Weight	6.15KG 6.95KG
		Packaging Dimensions	L595 x W247 x H260mm
		Warranty	6 Year Warranty 3 Year In-Home, 3 Year Parts Only and 12 Months Remote/Receiver


Also available in other configurations



[VIEW RANGE PAGE](#)



All fixtures must be installed by a licensed electrician.
Please also consult a licensed electrician for any electrical and wiring enquiries.
For technical support please contact: customerservice@calibo.com.au



Kestrel KES-452 Specifications

Type	DC Ceiling Fan	Available Accessories	900mm Extension Rod, 1800mm Extension Rod, 38° Raked Ceiling Kit, DC Wall Control
Colours	Black and White Motor Black and White Blade Options	Speed 1	3,729 m ³ /hr 81 RPM 3.2W
Motor Housing Material	Steel	Speed 2	4,971 m ³ /hr 113 RPM 5W
Blade Material	ABS Plastic	Speed 3	7,460 m ³ /hr 149 RPM 7.9W
Blade Rotational Diameter	1320mm 52"	Speed 4	9,324 m ³ /hr 172 RPM 11.6W
Quantity of Blades	4	Speed 5	10,566 m ³ /hr 201 RPM 18W
Blade Pitch	15 Degrees	Speed 6	12,433 m ³ /hr 220 RPM 23W
Raked Ceiling Compatibility	10°, 38° with accessory	Packaging	
Control Type	6-Speed Remote Control	Motor & Blades	
Remote Features	Light Control, 1, 4 and 8 Hour Timer Functions and "Away from Home" Mode	Net Gross Weight	5.85KG 6.65KG
Reversible	Summer/Winter by Remote	Packaging Dimensions	L595 x W247 x H260mm
Test Standard (Compliance)	AS/NZS 60335.2.80:2016 Inc A1:2020 A2:2022 A3:2023 AS/NZS 60335.1:2020 Inc A1:2021 AS/NZS 60598.2.1:2014 Inc A1:2016 A2:2019 AS/NZS 60598.1:2017 Inc A1:2017 A2:2020	Warranty	6 Year Warranty 3 Year In-Home, 3 Year Parts Only and 12 Months Remote/Receiver
Indoor or Outdoor	Indoor and Covered Outdoor Installation		


Also available in other configurations



[VIEW RANGE PAGE](#)



All fixtures must be installed by a licensed electrician.
Please also consult a licensed electrician for any electrical and wiring enquiries.
For technical support please contact: customerservice@calibo.com.au



Kestrel KES-452-E27 Specifications

Type	DC Ceiling Fan	Available Accessories	900mm Extension Rod, 1800mm Extension Rod, 38° Raked Ceiling Kit, DC Wall Control
Colours	Black and White Motor Black and White Blade Options	Light Kit Type Light Kit Wattage	2 x E27 Max 2 x 40W
Motor Housing Material	Steel	Speed 1	3,729 m ³ /hr 81 RPM 3.2W
Blade Material	ABS Plastic	Speed 2	4,971 m ³ /hr 113 RPM 5W
Blade Rotational Diameter	1320mm 52"	Speed 3	7,460 m ³ /hr 149 RPM 7.9W
Quantity of Blades	4	Speed 4	9,324 m ³ /hr 172 RPM 11.6W
Blade Pitch	15 Degrees	Speed 5	10,566 m ³ /hr 201 RPM 18W
Raked Ceiling Compatibility	10°, 38° with accessory	Speed 6	12,433 m ³ /hr 220 RPM 23W
Control Type	6-Speed Remote Control	Packaging	
Remote Features	Light Control, 1, 4 and 8 Hour Timer Functions and "Away from Home" Mode	Motor & Blades	
Reversible	Summer/Winter by Remote	Net Gross Weight	6.15KG 7.05KG
Test Standard (Compliance)	AS/NZS 60335.2.80:2016 Inc A1:2020 A2:2022 A3:2023 AS/NZS 60335.1:2020 Inc A1:2021 AS/NZS 60598.2.1:2014 Inc A1:2016 A2:2019 AS/NZS 60598.1:2017 Inc A1:2017 A2:2020	Packaging Dimensions	L595 x W247 x H260mm
Indoor or Outdoor	Indoor and Covered Outdoor Installation	Warranty	6 Year Warranty 3 Year In-Home, 3 Year Parts Only and 12 Months Remote/Receiver

Also available in other configurations

All fixtures must be installed by a licensed electrician.


Please also consult a licensed electrician for any electrical and wiring enquiries.

For technical support please contact: customerservice@calibo.com.au



VIEW RANGE PAGE





Kestrel KES-452-LED Specifications

Type	DC Ceiling Fan	Available Accessories	900mm Extension Rod, 1800mm Extension Rod, 38° Raked Ceiling Kit, Replacement LED Panel, DC Wall Control
Colours	Black and White Motor Black and White Blade Options	Light Kit Type Light Kit Wattage	LED 18W
Motor Housing Material	Steel	Tri-Colour / CCT	Yes
Blade Material	ABS Plastic	Colour Temperature Lumens	3000K - 1166lm 4000K - 1300lm 6000K - 1260lm
Blade Rotational Diameter	1320mm 52"	Dimmable Dimming Capabilities	Yes
Quantity of Blades	4	Speed 1	3,729 m³/hr 81 RPM 3.2W
Blade Pitch	15 Degrees	Speed 2	4,971 m³/hr 113 RPM 5W
Raked Ceiling Compatibility	10°, 38° with accessory	Speed 3	7,460 m³/hr 149 RPM 7.9W
Control Type	6-Speed Remote Control	Speed 4	9,324 m³/hr 172 RPM 11.6W
Remote Features	Light Control, 1, 4 and 8 Hour Timer Functions and "Away from Home" Mode	Speed 5	10,566 m³/hr 201 RPM 18W
Reversible	Summer/Winter by Remote	Speed 6	12,433 m³/hr 220 RPM 23W
Test Standard (Compliance)	AS/NZS 60335.2.80:2016 Inc A1:2020 A2:2022 A3:2023 AS/NZS 60335.1:2020 Inc A1:2021 AS/NZS 60598.2.1:2014 Inc A1:2016 A2:2019 AS/NZS 60598.1:2017 Inc A1:2017 A2:2020	Packaging	
Indoor or Outdoor	Indoor and Covered Outdoor Installation	Motor & Blades	
		Net Gross Weight	6.15KG 7.05KG
		Packaging Dimensions	L595 x W247 x H260mm
		Warranty	6 Year Warranty 3 Year In-Home, 3 Year Parts Only and 12 Months Remote/Receiver

Also available in other configurations



[VIEW RANGE PAGE](#)



All fixtures must be installed by a licensed electrician.
Please also consult a licensed electrician for any electrical and wiring enquiries.
For technical support please contact: customerservice@calibo.com.au