




Sora SOR-348 Specifications

Type	DC Ceiling Fan	Available Accessories	900mm Extension Rod, 1800mm Extension Rod, 38° Raked Ceiling Kit
Colours	Black and White Motor Black and White Blade Options	Speed 1	5,760 m ³ /hr 95 RPM 2.7W
Motor Housing Material	Diecast Aluminium	Speed 2	7,500 m ³ /hr 129 RPM 6.1W
Blade Material	ABS Plastic	Speed 3	9,180 m ³ /hr 153 RPM 10.1W
Blade Rotational Diameter	1220mm 48"	Speed 4	10,800 m ³ /hr 178 RPM 16W
Quantity of Blades	3	Speed 5	11,940 m ³ /hr 204 RPM 24.9W
Blade Pitch	16 Degrees	Speed 6	13,080 m ³ /hr 223 RPM 35W
Raked Ceiling Compatibility	14°, 38° with accessory	Packaging	
Control Type	6-Speed Remote & DC Wall Control	Motor & Blades	
Remote Features	Light Control, 1, 4 and 8 Hour Timer Functions and "Away from Home" Mode	Net Gross Weight	3.7KG 6KG
Reversible	Summer/Winter by Remote	Packaging Dimensions	L620 x W270 x H310mm
Test Standard (Compliance)	AS/NZS 60335.2.80:2016 Inc A1:2020 A2:2022 A3:2023 AS/NZS 60335.1:2020 Inc A1:2021 AS/NZS 60598.2.1:2014 Inc A1:2016 A2:2019 AS/NZS 60598.1:2017 Inc A1:2017 A2:2020	Warranty	6 Year Warranty 3 Year In-Home, 3 Year Parts Only and 12 Months Remote/Wall Control/Receiver
Indoor or Outdoor	Indoor and Covered Outdoor Installation		


Also available in other configurations



VIEW RANGE PAGE



All fixtures must be installed by a licensed electrician.
Please also consult a licensed electrician for any electrical and wiring enquiries.
For technical support please contact: customerservice@calibo.com.au



Sora SOR-348-L Specifications

Type	DC Ceiling Fan	Available Accessories	900mm Extension Rod, 1800mm Extension Rod, 38° Raked Ceiling Kit, Replacement LED Panel
Colours	Black and White Motor Black and White Blade Options	Light Kit Type Light Kit Wattage	LED 20W
Motor Housing Material	Diecast Aluminium	Tri-Colour / CCT	Yes
Blade Material	ABS Plastic	Colour Temperature Lumens	3000K - 2017lm 4000K - 2175lm 6000K - 2304lm
Blade Rotational Diameter	1220mm 48"	Dimmable Dimming Capabilities	Yes
Quantity of Blades	3	Speed 1	5,760 m ³ /hr 95 RPM 2.7W
Blade Pitch	16 Degrees	Speed 2	7,500 m ³ /hr 129 RPM 6.1W
Raked Ceiling Compatibility	14°, 38° with accessory	Speed 3	9,180 m ³ /hr 153 RPM 10.1W
Control Type	6-Speed Remote & DC Wall Control	Speed 4	10,800 m ³ /hr 178 RPM 16W
Remote Features	Light Control, 1, 4 and 8 Hour Timer Functions and "Away from Home" Mode	Speed 5	11,940 m ³ /hr 204 RPM 24.9W
Reversible	Summer/Winter by Remote	Speed 6	13,080 m ³ /hr 223 RPM 35W
Test Standard (Compliance)	AS/NZS 60335.2.80:2016 Inc A1:2020 A2:2022 A3:2023 AS/NZS 60335.1:2020 Inc A1:2021 AS/NZS 60598.2.1:2014 Inc A1:2016 A2:2019 AS/NZS 60598.1:2017 Inc A1:2017 A2:2020	Packaging	
Indoor or Outdoor	Indoor and Covered Outdoor Installation	Motor & Blades	
		Net Gross Weight	4.1KG 6.4KG
		Packaging Dimensions	L620 x W270 x H310mm
		Warranty	6 Year Warranty 3 Year In-Home, 3 Year Parts Only and 12 Months Remote/Wall Control/Receiver


Also available in other configurations



VIEW RANGE PAGE



All fixtures must be installed by a licensed electrician.
Please also consult a licensed electrician for any electrical and wiring enquiries.
For technical support please contact: customerservice@calibo.com.au



Sora SOR-352 Specifications

Type	DC Ceiling Fan	Available Accessories	900mm Extension Rod, 1800mm Extension Rod, 38° Raked Ceiling Kit
Colours	Black and White Motor Black and White Blade Options	Speed 1	6,000 m³/hr 83 RPM 2.7W
Motor Housing Material	Diecast Aluminium	Speed 2	8,220 m³/hr 112 RPM 6.1W
Blade Material	ABS Plastic	Speed 3	9,720 m³/hr 133 RPM 10.1W
Blade Rotational Diameter	1320mm 52"	Speed 4	11,580 m³/hr 153 RPM 16W
Quantity of Blades	3	Speed 5	13,140 m³/hr 173 RPM 24.9W
Blade Pitch	16 Degrees	Speed 6	14,400 m³/hr 192 RPM 35W
Raked Ceiling Compatibility	14°, 38° with accessory	Packaging	
Control Type	6-Speed Remote & DC Wall Control	Motor & Blades	
Remote Features	Light Control, 1, 4 and 8 Hour Timer Functions and "Away from Home" Mode	Net Gross Weight	3.8KG 6.2KG
Reversible	Summer/Winter by Remote	Packaging Dimensions	L620 x W270 x H310mm
Test Standard (Compliance)	AS/NZS 60335.2.80:2016 Inc A1:2020 A2:2022 A3:2023 AS/NZS 60335.1:2020 Inc A1:2021 AS/NZS 60598.2.1:2014 Inc A1:2016 A2:2019 AS/NZS 60598.1:2017 Inc A1:2017 A2:2020	Warranty	6 Year Warranty 3 Year In-Home, 3 Year Parts Only and 12 Months Remote/Wall Control/Receiver
Indoor or Outdoor	Indoor and Covered Outdoor Installation		


Also available in other configurations



VIEW RANGE PAGE



All fixtures must be installed by a licensed electrician.
Please also consult a licensed electrician for any electrical and wiring enquiries.
For technical support please contact: customerservice@calibo.com.au



Sora SOR-352-L Specifications

Type	DC Ceiling Fan	Available Accessories	900mm Extension Rod, 1800mm Extension Rod, 38° Raked Ceiling Kit, Replacement LED Panel
Colours	Black and White Motor Black and White Blade Options	Light Kit Type Light Kit Wattage	LED 20W
Motor Housing Material	Diecast Aluminium	Tri-Colour / CCT	Yes
Blade Material	ABS Plastic	Colour Temperature Lumens	3000K - 2017lm 4000K - 2175lm 6000K - 2304lm
Blade Rotational Diameter	1320mm 52"	Dimmable Dimming Capabilities	Yes
Quantity of Blades	3	Speed 1	6,000 m ³ /hr 83 RPM 2.7W
Blade Pitch	16 Degrees	Speed 2	8,220 m ³ /hr 112 RPM 6.1W
Raked Ceiling Compatibility	14°, 38° with accessory	Speed 3	9,720 m ³ /hr 133 RPM 10.1W
Control Type	6-Speed Remote & DC Wall Control	Speed 4	11,580 m ³ /hr 153 RPM 16W
Remote Features	Light Control, 1, 4 and 8 Hour Timer Functions and "Away from Home" Mode	Speed 5	13,140 m ³ /hr 173 RPM 24.9W
Reversible	Summer/Winter by Remote	Speed 6	14,400 m ³ /hr 192 RPM 35W
Test Standard (Compliance)	AS/NZS 60335.2.80:2016 Inc A1:2020 A2:2022 A3:2023 AS/NZS 60335.1:2020 Inc A1:2021 AS/NZS 60598.2.1:2014 Inc A1:2016 A2:2019 AS/NZS 60598.1:2017 Inc A1:2017 A2:2020	Packaging	
Indoor or Outdoor	Indoor and Covered Outdoor Installation	Motor & Blades	
		Net Gross Weight	4.2KG 6.7KG
		Packaging Dimensions	L620 x W270 x H310mm
		Warranty	6 Year Warranty 3 Year In-Home, 3 Year Parts Only and 12 Months Remote/Wall Control/Receiver

Also available in other configurations



VIEW RANGE PAGE



All fixtures must be installed by a licensed electrician.
Please also consult a licensed electrician for any electrical and wiring enquiries.
For technical support please contact: customerservice@calibo.com.au