




CloudFan CFT-348 Specifications

Type	DC Ceiling Fan	Available Accessories	900mm Extension Rod, 1800mm Extension Rod, 38° Raked Ceiling Kit, DC Wall Controller
Colours	Black and White Motor Bamboo, Black, Koa, Teak and White Blade Options	Speed 1	4,400 m ³ /hr 85 RPM 4.7W
Motor Housing Material	ABS Plastic	Speed 2	5,865 m ³ /hr 123 RPM 6.3W
Blade Material	ABS Plastic	Speed 3	8,800 m ³ /hr 164 RPM 9.7W
Blade Rotational Diameter	1220mm 48"	Speed 4	11,000 m ³ /hr 192 RPM 13.6W
Quantity of Blades	3	Speed 5	12,465 m ³ /hr 224 RPM 20.3W
Blade Pitch	15 Degrees	Speed 6	14,667 m ³ /hr 262 RPM 30.1W
Raked Ceiling Compatibility	15°, 38° with accessory	Packaging	
Control Type	6-Speed Remote Control	Motor	
Remote Features	Light Control, 1, 4 and 8 Hour Timer Functions and "Away from Home" Mode	Net Gross Weight	3.95KG 5.85KG
Reversible	Summer/Winter by Remote	Packaging Dimensions	L500 x W295 x H290mm
Smart Tech	Smart Out of the Box - Tuya	Blades	
Test Standard (Compliance)	AS/NZS 60335.2.80:2016 Inc A1:2020 A2:2022 A3:2023 AS/NZS 60335.1:2020 Inc A1:2021 AS/NZS 60598.2.1:2014 Inc A1:2016 A2:2019 AS/NZS 60598.1:2017 Inc A1:2017 A2:2020	Net Gross Weight	1.45KG 1.8KG
Indoor or Outdoor	Indoor and Covered Outdoor Installation	Packaging Dimensions	L580 x W230 x H140mm
		Motor & Blades	
		Net Gross Weight	5.8KG 6.4KG
		Warranty	6 Year Warranty 3 Year In-Home, 3 Year Parts Only and 12 Months Remote/Receiver


Also available in other configurations



VIEW RANGE PAGE



All fixtures must be installed by a licensed electrician.
Please also consult a licensed electrician for any electrical and wiring enquiries.
For technical support please contact: customerservice@calibo.com.au



CloudFan CFT-348-L Specifications

Type	DC Ceiling Fan	Available Accessories	900mm Extension Rod, 1800mm Extension Rod, 38° Raked Ceiling Kit, DC Wall Controller
Colours	Black and White Motor Bamboo, Black, Koa, Teak and White Blade Options	Light Kit Type Light Kit Wattage	LED 18W
Motor Housing Material	ABS Plastic	Tri-Colour / CCT	Yes
Blade Material	ABS Plastic	Colour Temperature Lumens	3000K - 1490lm 4000K - 2320lm 5700K - 2180lm
Blade Rotational Diameter	1220mm 48"	Dimmable Dimming Capabilities	Yes
Quantity of Blades	3	Speed 1	4,400 m³/hr 85 RPM 4.7W
Blade Pitch	15 Degrees	Speed 2	5,865 m³/hr 123 RPM 6.3W
Raked Ceiling Compatibility	15°, 38° with accessory	Speed 3	8,800 m³/hr 164 RPM 9.7W
Control Type	6-Speed Remote Control	Speed 4	11,000 m³/hr 192 RPM 13.6W
Remote Features	Light Control, 1, 4 and 8 Hour Timer Functions and "Away from Home" Mode	Speed 5	12,465 m³/hr 224 RPM 20.3W
Reversible	Summer/Winter by Remote	Speed 6	14,667 m³/hr 262 RPM 30.1W
Smart Tech	Smart Out of the Box - Tuya	Packaging	
Test Standard (Compliance)	AS/NZS 60335.2.80:2016 Inc A1:2020 A2:2022 A3:2023 AS/NZS 60335.1:2020 Inc A1:2021 AS/NZS 60598.2.1:2014 Inc A1:2016 A2:2019 AS/NZS 60598.1:2017 Inc A1:2017 A2:2020	Motor	
Indoor or Outdoor	Indoor and Covered Outdoor Installation	Net Gross Weight	4.25KG 6.4KG
		Packaging Dimensions	L500 x W295 x H290mm
		Blades	
		Net Gross Weight	1.45KG 1.8KG
		Packaging Dimensions	L580 x W230 x H140mm
		Motor & Blades	
		Net Gross Weight	6.1KG 8.2KG
		Warranty	6 Year Warranty 3 Year In-Home, 3 Year Parts Only and 12 Months Remote/Receiver


Also available in other configurations



VIEW RANGE PAGE



All fixtures must be installed by a licensed electrician.
Please also consult a licensed electrician for any electrical and wiring enquiries.
For technical support please contact: customerservice@calibo.com.au



CloudFan CFT-352 Specifications

Type	DC Ceiling Fan	Available Accessories	900mm Extension Rod, 1800mm Extension Rod, 38° Raked Ceiling Kit, DC Wall Controller
Colours	Black and White Motor Bamboo, Black, Koa, Teak and White Blade Options	Speed 1	4,605 m ³ /hr 71 RPM 4.4W
Motor Housing Material	ABS Plastic	Speed 2	6,140 m ³ /hr 110 RPM 6.6W
Blade Material	ABS Plastic	Speed 3	9,210 m ³ /hr 134 RPM 9.4W
Blade Rotational Diameter	1320mm 52"	Speed 4	11,515 m ³ /hr 165 RPM 14.8W
Quantity of Blades	3	Speed 5	13,050 m ³ /hr 195 RPM 23.4W
Blade Pitch	15 Degrees	Speed 6	15,351 m ³ /hr 228 RPM 35W
Raked Ceiling Compatibility	15°, 38° with accessory	Packaging	
Control Type	6-Speed Remote Control	Motor	
Remote Features	Light Control, 1, 4 and 8 Hour Timer Functions and "Away from Home" Mode	Net Gross Weight	3.95KG 5.85KG
Reversible	Summer/Winter by Remote	Packaging Dimensions	L500 x W295 x H290mm
Smart Tech	Smart Out of the Box - Tuya	Blades	
Test Standard (Compliance)	AS/NZS 60335.2.80:2016 Inc A1:2020 A2:2022 A3:2023 AS/NZS 60335.1:2020 Inc A1:2021 AS/NZS 60598.2.1:2014 Inc A1:2016 A2:2019 AS/NZS 60598.1:2017 Inc A1:2017 A2:2020	Net Gross Weight	1.65KG 2.2KG
Indoor or Outdoor	Indoor and Covered Outdoor Installation	Packaging Dimensions	L630 x W230 x H140mm
		Motor & Blades	
		Net Gross Weight	5.9KG 8.2KG
		Warranty	6 Year Warranty 3 Year In-Home, 3 Year Parts Only and 12 Months Remote/Receiver


Also available in other configurations



VIEW RANGE PAGE



All fixtures must be installed by a licensed electrician.
Please also consult a licensed electrician for any electrical and wiring enquiries.
For technical support please contact: customerservice@calibo.com.au



CloudFan CFT-352-L Specifications

Type	DC Ceiling Fan	Available Accessories	900mm Extension Rod, 1800mm Extension Rod, 38° Raked Ceiling Kit, DC Wall Controller
Colours	Black and White Motor Bamboo, Black, Koa, Teak and White Blade Options	Light Kit Type Light Kit Wattage	LED 18W
Motor Housing Material	ABS Plastic	Tri-Colour / CCT	Yes
Blade Material	ABS Plastic	Colour Temperature Lumens	3000K - 1490lm 4000K - 2320lm 5700K - 2180lm
Blade Rotational Diameter	1320mm 52"	Dimmable Dimming Capabilities	Yes
Quantity of Blades	3	Speed 1	4,605 m ³ /hr 71 RPM 4.4W
Blade Pitch	15 Degrees	Speed 2	6,140 m ³ /hr 110 RPM 6.6W
Raked Ceiling Compatibility	15°, 38° with accessory	Speed 3	9,210 m ³ /hr 134 RPM 9.4W
Control Type	6-Speed Remote Control	Speed 4	11,515 m ³ /hr 165 RPM 14.8W
Remote Features	Light Control, 1, 4 and 8 Hour Timer Functions and "Away from Home" Mode	Speed 5	13,050 m ³ /hr 195 RPM 23.4W
Reversible	Summer/Winter by Remote	Speed 6	15,351 m ³ /hr 228 RPM 35W
Smart Tech	Smart Out of the Box - Tuya	Packaging	
Test Standard (Compliance)	AS/NZS 60335.2.80:2016 Inc A1:2020 A2:2022 A3:2023 AS/NZS 60335.1:2020 Inc A1:2021 AS/NZS 60598.2.1:2014 Inc A1:2016 A2:2019 AS/NZS 60598.1:2017 Inc A1:2017 A2:2020	Motor	
Indoor or Outdoor	Indoor and Covered Outdoor Installation	Net Gross Weight	4.25KG 6.4KG
		Packaging Dimensions	L500 x W295 x H290mm
		Blades	
		Net Gross Weight	1.65KG 2.2KG
		Packaging Dimensions	L630 x W230 x H140mm
		Motor & Blades	
		Net Gross Weight	6.2KG 8.6KG
		Warranty	6 Year Warranty 3 Year In-Home, 3 Year Parts Only and 12 Months Remote/Receiver


Also available in other configurations



VIEW RANGE PAGE



All fixtures must be installed by a licensed electrician.
Please also consult a licensed electrician for any electrical and wiring enquiries.
For technical support please contact: customerservice@calibo.com.au



CloudFan CFT-360 Specifications

Type	DC Ceiling Fan	Available Accessories	900mm Extension Rod, 1800mm Extension Rod, 38° Raked Ceiling Kit, DC Wall Controller
Colours	Black and White Motor Bamboo, Black, Koa, Teak and White Blade Options	Speed 1	5,605 m³/hr 58 RPM 2.8W
Motor Housing Material	ABS Plastic	Speed 2	7,475 m³/hr 100 RPM 6.3W
Blade Material	ABS Plastic	Speed 3	11,215 m³/hr 124 RPM 10W
Blade Rotational Diameter	1520mm 60"	Speed 4	14,020 m³/hr 148 RPM 15.8W
Quantity of Blades	3	Speed 5	15,885 m³/hr 176 RPM 25.6W
Blade Pitch	15 Degrees	Speed 6	18,691 m³/hr 215 RPM 44.2W
Raked Ceiling Compatibility	15°, 38° with accessory	Packaging	
Control Type	6-Speed Remote Control	Motor	
Remote Features	Light Control, 1, 4 and 8 Hour Timer Functions and "Away from Home" Mode	Net Gross Weight	4.2KG 6.2KG
Reversible	Summer/Winter by Remote	Packaging Dimensions	L500 x W295 x H290mm
Smart Tech	Smart Out of the Box - Tuya	Blades	
Test Standard (Compliance)	AS/NZS 60335.2.80:2016 Inc A1:2020 A2:2022 A3:2023 AS/NZS 60335.1:2020 Inc A1:2021 AS/NZS 60598.2.1:2014 Inc A1:2016 A2:2019 AS/NZS 60598.1:2017 Inc A1:2017 A2:2020	Net Gross Weight	2KG 2.5KG
Indoor or Outdoor	Indoor and Covered Outdoor Installation	Packaging Dimensions	L740 x W230 x H140mm
		Motor & Blades	
		Net Gross Weight	6.3KG 8.7KG
		Warranty	6 Year Warranty 3 Year In-Home, 3 Year Parts Only and 12 Months Remote/Receiver


Also available in other configurations



VIEW RANGE PAGE



All fixtures must be installed by a licensed electrician.
Please also consult a licensed electrician for any electrical and wiring enquiries.
For technical support please contact: customerservice@calibo.com.au



CloudFan CFT-360-L Specifications

Type	DC Ceiling Fan	Available Accessories	900mm Extension Rod, 1800mm Extension Rod, 38° Raked Ceiling Kit, DC Wall Controller
Colours	Black and White Motor Bamboo, Black, Koa, Teak and White Blade Options	Light Kit Type Light Kit Wattage	LED 18W
Motor Housing Material	ABS Plastic	Tri-Colour / CCT	Yes
Blade Material	ABS Plastic	Colour Temperature Lumens	3000K - 1490lm 4000K - 2320lm 5700K - 2180lm
Blade Rotational Diameter	1520mm 60"	Dimmable Dimming Capabilities	Yes
Quantity of Blades	3	Speed 1	5,605 m ³ /hr 58 RPM 2.8W
Blade Pitch	15 Degrees	Speed 2	7,475 m ³ /hr 100 RPM 6.3W
Raked Ceiling Compatibility	15°, 38° with accessory	Speed 3	11,215 m ³ /hr 124 RPM 10W
Control Type	6-Speed Remote Control	Speed 4	14,020 m ³ /hr 148 RPM 15.8W
Remote Features	Light Control, 1, 4 and 8 Hour Timer Functions and "Away from Home" Mode	Speed 5	15,885 m ³ /hr 176 RPM 25.6W
Reversible	Summer/Winter by Remote	Speed 6	18,691 m ³ /hr 215 RPM 44.2W
Smart Tech	Smart Out of the Box - Tuya	Packaging	
Test Standard (Compliance)	AS/NZS 60335.2.80:2016 Inc A1:2020 A2:2022 A3:2023 AS/NZS 60335.1:2020 Inc A1:2021 AS/NZS 60598.2.1:2014 Inc A1:2016 A2:2019 AS/NZS 60598.1:2017 Inc A1:2017 A2:2020	Motor	Net Gross Weight 4.8KG 6.7KG Packaging Dimensions L500 x W295 x H290mm
Indoor or Outdoor	Indoor and Covered Outdoor Installation	Blades	Net Gross Weight 2KG 2.5KG Packaging Dimensions L740 x W230 x H140mm
		Motor & Blades	Net Gross Weight 6.8KG 9.2KG
		Warranty	6 Year Warranty 3 Year In-Home, 3 Year Parts Only and 12 Months Remote/Receiver


Also available in other configurations



VIEW RANGE PAGE



All fixtures must be installed by a licensed electrician.
Please also consult a licensed electrician for any electrical and wiring enquiries.
For technical support please contact: customerservice@calibo.com.au



CloudFan CFT-372 Specifications

Type	DC Ceiling Fan	Available Accessories	900mm Extension Rod, 1800mm Extension Rod, 38° Raked Ceiling Kit, DC Wall Controller
Colours	Black, Black/Bamboo, Black/Koa, Black/Teak, White, White/Bamboo, White/Koa and White/Teak Motor Bamboo, Black, Koa, Teak and White Blade Options	Speed 1	6,080 m³/hr 41 RPM 2.9W
Motor Housing Material	ABS Plastic	Speed 2	8,105 m³/hr 76 RPM 7.4W
Blade Material	ABS Plastic	Speed 3	12,160 m³/hr 89 RPM 10.9W
Blade Rotational Diameter	1820mm 72"	Speed 4	15,200 m³/hr 107 RPM 17.6W
Quantity of Blades	3	Speed 5	17,225 m³/hr 124 RPM 27.1W
Blade Pitch	15 Degrees	Speed 6	20,268 m³/hr 145 RPM 43.3W
Raked Ceiling Compatibility	15°, 38° with accessory	Packaging	
Control Type	6-Speed Remote Control	Motor	
Remote Features	Light Control, 1, 4 and 8 Hour Timer Functions and "Away from Home" Mode	Net Gross Weight	4.2KG 6.2KG
Reversible	Summer/Winter by Remote	Packaging Dimensions	L500 x W295 x H290mm
Smart Tech	Smart Out of the Box - Tuya	Blades	
Test Standard (Compliance)	AS/NZS 60335.2.80:2016 Inc A1:2020 A2:2022 A3:2023 AS/NZS 60335.1:2020 Inc A1:2021 AS/NZS 60598.2.1:2014 Inc A1:2016 A2:2019 AS/NZS 60598.1:2017 Inc A1:2017 A2:2020	Net Gross Weight	2.6KG 3.3KG
Indoor or Outdoor	Indoor and Covered Outdoor Installation	Packaging Dimensions	L890 x W230 x H140mm
		Motor & Blades	
		Net Gross Weight	6.8KG 9.5KG
		Warranty	6 Year Warranty 3 Year In-Home, 3 Year Parts Only and 12 Months Remote/Receiver


Also available in other configurations



VIEW RANGE PAGE



All fixtures must be installed by a licensed electrician.
Please also consult a licensed electrician for any electrical and wiring enquiries.
For technical support please contact: customerservice@calibo.com.au



CloudFan CFT-372-L Specifications

Type	DC Ceiling Fan	Available Accessories	900mm Extension Rod, 1800mm Extension Rod, 38° Raked Ceiling Kit, DC Wall Controller
Colours	Black, Black/Bamboo, Black/Koa, Black/Teak, White, White/Bamboo, White/Koa and White/Teak Motor Bamboo, Black, Koa, Teak and White Blade Options	Light Kit Type Light Kit Wattage	LED 18W
Motor Housing Material	ABS Plastic	Tri-Colour / CCT	Yes
Blade Material	ABS Plastic	Colour Temperature Lumens	3000K - 1490lm 4000K - 2320lm 5700K - 2180lm
Blade Rotational Diameter	1820mm 72"	Dimmable Dimming Capabilities	Yes
Quantity of Blades	3	Speed 1	6,080 m ³ /hr 41 RPM 2.9W
Blade Pitch	15 Degrees	Speed 2	8,105 m ³ /hr 76 RPM 7.4W
Raked Ceiling Compatibility	15°, 38° with accessory	Speed 3	12,160 m ³ /hr 89 RPM 10.9W
Control Type	6-Speed Remote Control	Speed 4	15,200 m ³ /hr 107 RPM 17.6W
Remote Features	Light Control, 1, 4 and 8 Hour Timer Functions and "Away from Home" Mode	Speed 5	17,225 m ³ /hr 124 RPM 27.1W
Reversible	Summer/Winter by Remote	Speed 6	20,268 m ³ /hr 145 RPM 43.3W
Smart Tech	Smart Out of the Box - Tuya	Packaging	
Test Standard (Compliance)	AS/NZS 60335.2.80:2016 Inc A1:2020 A2:2022 A3:2023 AS/NZS 60335.1:2020 Inc A1:2021 AS/NZS 60598.2.1:2014 Inc A1:2016 A2:2019 AS/NZS 60598.1:2017 Inc A1:2017 A2:2020	Motor	
Indoor or Outdoor	Indoor and Covered Outdoor Installation	Net Gross Weight	4.8KG 6.7KG
		Packaging Dimensions	L500 x W295 x H290mm
		Blades	
		Net Gross Weight	2.6KG 3.3KG
		Packaging Dimensions	L890 x W230 x H140mm
		Motor & Blades	
		Net Gross Weight	7.3KG 10KG
		Warranty	6 Year Warranty 3 Year In-Home, 3 Year Parts Only and 12 Months Remote/Receiver

Also available in other configurations



[VIEW RANGE PAGE](#)



All fixtures must be installed by a licensed electrician.
Please also consult a licensed electrician for any electrical and wiring enquiries.
For technical support please contact: customerservice@calibo.com.au