


Breeze Silent Pro DC BDP-448 Specifications


Type	DC Ceiling Fan
Colours	Black and White Motor | Black and White Blade Options
Motor Housing Material	Silicon Steel & Copper
Blade Material	ABS Plastic
Blade Rotational Diameter	1220mm | 48"
Quantity of Blades	4
Blade Pitch	10 Degrees
Raked Ceiling Compatibility	12° with Remote Kit, 38° with accessory
Control Type	6-Speed Remote Control
Remote Features	1, 4 and 8 Hour Timer Functions
Reversible	Summer/Winter by Remote
Test Standard (Compliance)	AS/NZS 60335.2.80:2016 Inc A1:2020 A2:2022 A3:2023 AS/NZS 60335.1:2020 Inc A1:2021 AS/NZS 60598.2.1:2014 Inc A1:2016 A2:2019 AS/NZS 60598.1:2017 Inc A1:2017 A2:2020
Indoor or Outdoor	Indoor and Covered Outdoor Installation

Available Accessories	900mm Extension Rod, 38° Raked Ceiling Kit, DC Wall Controller
Speed 1	4,952 m^3/hr | 94 RPM | 3.7W
Speed 2	6,770 m^3/hr | 131 RPM | 5.86W
Speed 3	9,398 m^3/hr | 176 RPM | 10.3W
Speed 4	10,061 m^3/hr | 192 RPM | 17.8W
Speed 5	12,439 m^3/hr | 242 RPM | 24.7W
Speed 6	13,255 m^3/hr | 263 RPM | 31.3W
Packaging	
Motor & Blades	
Net | Gross Weight	5.95KG | 6.95KG
Packaging Dimensions	L626 x W288 x H320mm
Warranty	6 Year Warranty 3 Year In-Home and 3 Year Parts Only

Also available in other configurations

VIEW RANGE PAGE

All fixtures must be installed by a licensed electrician.
Please also consult a licensed electrician for any electrical and wiring enquiries.
For technical support please contact: customerservice@calibo.com.au



Breeze Silent Pro DC BDP-448-L Specifications


Type	DC Ceiling Fan
Colours	Black and White Motor | Black and White Blade Options
Motor Housing Material	Silicon Steel & Copper
Blade Material	ABS Plastic
Blade Rotational Diameter	1220mm | 48"
Quantity of Blades	4
Blade Pitch	10 Degrees
Raked Ceiling Compatibility	12° with Remote Kit, 38° with accessory
Control Type	6-Speed Remote Control
Remote Features	Light Control and 1, 4 and 8 Hour Timer Functions
Reversible	Summer/Winter by Remote
Test Standard (Compliance)	AS/NZS 60335.2.80:2016 Inc A1:2020 A2:2022 A3:2023 AS/NZS 60335.1:2020 Inc A1:2021 AS/NZS 60598.2.1:2014 Inc A1:2016 A2:2019 AS/NZS 60598.1:2017 Inc A1:2017 A2:2020
Indoor or Outdoor	Indoor and Covered Outdoor Installation

Available Accessories	900mm Extension Rod, 38° Raked Ceiling Kit, DC Wall Controller, Replacement LED Panel
Light Kit Type | Light Kit Wattage	LED | 22W
Tri-Colour / CCT	Yes
Colour Temperature | Lumens	3000K - 1361lm 4000K - 1261lm 5000K - 1230lm
Dimmable | Dimming Capabilities	Yes
Speed 1	4,952 m^3/hr | 94 RPM | 3.7W
Speed 2	6,770 m^3/hr | 131 RPM | 5.86W
Speed 3	9,398 m^3/hr | 176 RPM | 10.3W
Speed 4	10,061 m^3/hr | 192 RPM | 17.8W
Speed 5	12,439 m^3/hr | 242 RPM | 24.7W
Speed 6	13,255 m^3/hr | 263 RPM | 31.3W
Packaging	
Motor & Blades	
Net | Gross Weight	6.35KG | 7.35KG
Packaging Dimensions	L626 x W288 x H320mm
Warranty	6 Year Warranty 3 Year In-Home and 3 Year Parts Only

Also available in other configurations

VIEW RANGE PAGE

All fixtures must be installed by a licensed electrician.
Please also consult a licensed electrician for any electrical and wiring enquiries.
For technical support please contact: customerservice@calibo.com.au



Breeze Silent Pro DC BDP-452 Specifications


Type	DC Ceiling Fan
Colours	Black and White Motor | Black and White Blade Options
Motor Housing Material	Silicon Steel & Copper
Blade Material	ABS Plastic
Blade Rotational Diameter	1320mm | 52"
Quantity of Blades	4
Blade Pitch	10 Degrees
Raked Ceiling Compatibility	12° with Remote Kit, 38° with accessory
Control Type	6-Speed Remote Control
Remote Features	1, 4 and 8 Hour Timer Functions
Reversible	Summer/Winter by Remote
Test Standard (Compliance)	AS/NZS 60335.2.80:2016 Inc A1:2020 A2:2022 A3:2023 AS/NZS 60335.1:2020 Inc A1:2021 AS/NZS 60598.2.1:2014 Inc A1:2016 A2:2019 AS/NZS 60598.1:2017 Inc A1:2017 A2:2020
Indoor or Outdoor	Indoor and Covered Outdoor Installation

Available Accessories	900mm Extension Rod, 38° Raked Ceiling Kit, DC Wall Controller
Speed 1	5,295 m^3/hr | 79 RPM | 4.3W
Speed 2	7,461 m^3/hr | 113 RPM | 6.4W
Speed 3	10,207 m^3/hr | 149 RPM | 10.72W
Speed 4	11,543 m^3/hr | 171 RPM | 18.1W
Speed 5	14,032 m^3/hr | 211 RPM | 25.1W
Speed 6	15,065 m^3/hr | 230 RPM | 32.1W
Packaging	
Motor & Blades	
Net | Gross Weight	6.05KG | 7.05KG
Packaging Dimensions	L626 x W288 x H320mm
Warranty	6 Year Warranty 3 Year In-Home and 3 Year Parts Only

Also available in other configurations

VIEW RANGE PAGE

All fixtures must be installed by a licensed electrician.
Please also consult a licensed electrician for any electrical and wiring enquiries.
For technical support please contact: customerservice@calibo.com.au



Breeze Silent Pro DC BDP-452-L Specifications

Type	DC Ceiling Fan
Colours	Black and White Motor | Black and White Blade Options
Motor Housing Material	Silicon Steel & Copper
Blade Material	ABS Plastic
Blade Rotational Diameter	1320mm | 52"
Quantity of Blades	4
Blade Pitch	10 Degrees
Raked Ceiling Compatibility	12° with Remote Kit, 38° with accessory
Control Type	6-Speed Remote Control
Remote Features	Light Control and 1, 4 and 8 Hour Timer Functions
Reversible	Summer/Winter by Remote
Test Standard (Compliance)	AS/NZS 60335.2.80:2016 Inc A1:2020 A2:2022 A3:2023 AS/NZS 60335.1:2020 Inc A1:2021 AS/NZS 60598.2.1:2014 Inc A1:2016 A2:2019 AS/NZS 60598.1:2017 Inc A1:2017 A2:2020
Indoor or Outdoor	Indoor and Covered Outdoor Installation

Available Accessories	900mm Extension Rod, 38° Raked Ceiling Kit, DC Wall Controller, Replacement LED Panel
Light Kit Type | Light Kit Wattage	LED | 22W
Tri-Colour / CCT	Yes
Colour Temperature | Lumens	3000K - 1361lm 4000K - 1261lm 5000K - 1230lm
Dimmable | Dimming Capabilities	Yes
Speed 1	5,295 m^3/hr | 79 RPM | 4.3W
Speed 2	7,461 m^3/hr | 113 RPM | 6.4W
Speed 3	10,207 m^3/hr | 149 RPM | 10.72W
Speed 4	11,543 m^3/hr | 171 RPM | 18.1W
Speed 5	14,032 m^3/hr | 211 RPM | 25.1W
Speed 6	15,065 m^3/hr | 230 RPM | 32.1W
Packaging	
Motor & Blades	
Net | Gross Weight	6.45KG | 7.45KG
Packaging Dimensions	L626 x W288 x H320mm
Warranty	6 Year Warranty 3 Year In-Home and 3 Year Parts Only

Also available in other configurations

VIEW RANGE PAGE

All fixtures must be installed by a licensed electrician.
Please also consult a licensed electrician for any electrical and wiring enquiries.
For technical support please contact: customerservice@calibo.com.au